

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 08/10/2004

PPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/015,844	12/10/2001	Andrew Kevin Prentice	US 010637	3538	
75	90 08/10/2004	EXAMINER			
Corporate Patent Counsel			PEACHES, RANDY		
Philips Electronics North America Corporation 580 White Plains Road			ART UNIT	PAPER NUMBER	
Tarrytown, NY 10591			2686		

Please find below and/or attached an Office communication concerning this application or proceeding.

· · · · · · · · · · · · · · · · · · ·		Applicatio	n No.	Applicant(s)				
Office Action Summary		10/015,84	4	PRENTICE ET AL.				
		Examiner		Art Unit				
		Randy Pe	aches	2686				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED ST THE MAILING DAT - Extensions of time may be after SIX (6) MONTHS free of the seriod for reply specific to reply within the Any reply received by the	EATUTORY PERIOD FOR REF E OF THIS COMMUNICATION be available under the provisions of 37 CFR om the mailing date of this communication. cified above is less than thirty (30) days, a repecified above, the maximum statutory peri- set or extended period for reply will, by state office later than three months after the matter. See 37 CFR 1.704(b).	N. 21.136(a). In no eve reply within the statu iod will apply and wil atute, cause the appli	nt, however, may a reply be tim tory minimum of thirty (30) days I expire SIX (6) MONTHS from to ication to become ABANDONE	nely filed s will be considered timely the mailing date of this co O (35 U.S.C. § 133).				
Status								
1) Responsive to	communication(s) filed on	·						
2a) This action is	FINAL. 2b)⊠ T	his action is no	on-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims								
4a) Of the abo 5)		lrawn from cor						
Application Papers								
•	ion is objected to by the Exam							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority under 35 U.S.	C. § 119		·					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 								
· =	's Patent Drawing Review (PTO-948)		4) Interview Summary Paper No(s)/Mail Da	te) 450)			
3) Information Disclosure Paper No(s)/Mail Date	Statement(s) (PTO-1449 or PTO/SB/	(08)	5) Notice of Informal Pa	atent Application (PTC	J-152)			

Art Unit: 2686

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1-3, 5-7, 13 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Rostoker et al (U.S. Patent Number 5,793,416) in view of Geiger et al (U.S. Patent Publication Number 2003/0061457 A1).

Regarding *claims 1 and 17*, Rostoker et al discloses a subscriber unit (12), which reads on claimed "a cellular phone communication device", comprising:

- a T/R module (24), which reads on claimed "radio frequency module", configured to receive and send communication data. See column 8 lines 57-58;
- a controller (22), which reads on claimed "codec controller" coupled to said T/R module (24) and configured to identify data portions related to an executable codec file. See column 4 lines 16-20 and column 5 lines 20-29; and
 However, Rostoker et al does not clearly teach of a codec engine.

Geiger et al. discloses a codec engine that is part of a functional unit (216) (see paragraph [0144]) of the system memory (218) coupled to said controller, see paragraph [0079], said codec engine configured to store an executable codec file

Art Unit: 2686

received by a device, which reads on claimed "communication device" and identified by a said controller (211). See paragraph [0072, 0089].

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Rostoker et al (U.S. Patent Number 5,793,416) in view of Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) in order provide a functional means incorporated in the architecture of the network to store the said codec files for latter execution.

Regarding *claim* 2, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim* 1, Geiger et al. further teaches in paragraph [0072], where a said system memory (218) is used to store a plurality of executable codec files received by said device.

Regarding *claim 3*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim 2*, Geiger et al. further teaches in paragraph [0072, 0076-0077] wherein said controller (211) provides at least one of said plurality of executable codec files to said codec engine of the system memory (218).

Art Unit: 2686

Regarding *claim 5*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim 4*, Geiger et al. further teaches wherein said communication data is a command block (226), which reads on claimed "codec portion", which contains data to be compressed/decompressed, which reads on claimed "coded data portion". See paragraph [0146].

Regarding *claim* 6, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim* 5, Geiger et al. further teaches wherein said command block (226) includes a codec executable file, that is downloaded in said codec engine for compression/decompression. See paragraph [0160].

Regarding *claim* 7, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim* 6, Geiger et al. further teaches wherein said command block (226) further comprises pointers and Status Bytes, as taught by Geiger et al in paragraph [0155-0156] containing information that indicate presence of an executable codec file and a codec type that contains information that associates coded data with a corresponding executable codec file, so that said codec engine receives an executable codec file associated with an incoming coded data.

Art Unit: 2686

Regarding *claim 13*, Rostoker et al discloses in column 2 lines 53-60 of a cellular communication system for enabling communication among a plurality of subscriber units (12), said cellular communication system comprising:

- a system, which reads on claimed "cellular network", for routing communication data
- a plurality of said subscriber units (12) coupled to said system, said subscriber units (12) having a controller (22) configured to identify said codec related information. See column 4 lines 10-29.

However, Rostoker et al fails to clearly disclose a codec handling layer configured to add codec related information to said communication data, including a codec executable file.

Geiger et al discloses in paragraph [0077-0079] where the DME is operable to compress/decompress information contained within the system memory for preparation to be delivered to its assign destination, which reads on claimed "add codec related information to said communication data, including a codec executable file".

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the teachings of Rostoker et al (U.S. Patent Number 5,793,416) in view of Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) in order provide a functional means incorporated in the architecture of the said subscriber (12) to perform the CODEC responsibilities for a dependable transfer of information.

Art Unit: 2686

2. **Claims 8-11** are rejected under 35 U.S.C. 103(a) as being unpatentable over Rostoker et al (U.S. Patent Number 5,793,416) in view of Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) as applied to **claim 1** above, and further in view of De Martin et al. (U.S. Patent Number 6,421,527 B1).

Regarding *claim 8*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim 2*, the combination of Rostoker et al and Geiger et al fails to teach wherein said communication data are coded in accordance with a packet switched data arrangement.

De Martin et al. discloses in column 3 lines 22-29 of a cellular mobile station capable of transmitting and receiving a packet frame (21) consisting of three parts or subsets. A first part (21b), a second part (21a), and a third part (21c), of which conforms to the packet switch data arrangement standard.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the combined teachings of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) to further include De Martin et al. (U.S. Patent Number 6,421,527 B1) in order provide a standard with respect to the order of a packet data frame when the transfer of a codec file between the entity of a said communication device and the network.

Art Unit: 2686

Regarding *claim 9*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) are made, the combination according to *claim 8*, De Martin et al. further teaches wherein said packet data (21) includes a plurality of codec header packets (21a) and codec data packets (21b).

Regarding *claim 10*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) are made, the combination according to *claim 9*, De Martin et al. further discloses in column 3 lines 19-46, wherein said codec header packets include a codec executable file in a data field, Geiger et al. further teaches wherein said command block (226) includes a codec executable file, that is downloaded in said codec engine for compression/decompression. See paragraph [0160].

Regarding *claim 11*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) are made, the combination according to *claim 10*, Geiger et al teaches wherein said command block (226) further comprises pointers, which reads on claimed "flags", and Status Bytes, as taught by Geiger et al in paragraph [0155-0156] containing information that indicate presence of an executable codec file and a codec type that contains information that associates coded data with a

Art Unit: 2686

corresponding executable codec file, so that said codec engine receives an executable codec file associated with an incoming coded data. De Martin et al. further discloses in column 3 lines 19-46, wherein said codec header packets include a codec executable file in a data field.

3. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over the combination Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) in further view of Fuse et al. (U.S. Patent Number 6,330,634 B1).

Regarding *claim 12*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) are made, the combination according to *claim 11*, fails to clearly teach of wherein said codec header packet further comprises a fragment field that contains information indicating whether a packet is a final packet comprising a codec executable file.

Fuse et al. details in column 9 lines 52-60 where a final flag is used in a block, which reads on claimed "codec executable file", to indicate either a block is continued or has ended.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the combined teachings of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457

Art Unit: 2686

A1) and De Martin et al. (U.S. Patent Number 6,421,527 B1) to further include Fuse et al. (U.S. Patent Number 6,330,634 B1) in order provide a means with the data string of the executable file that denotes the finale of the said file.

4. **Claims 14-16** are rejected under 35 U.S.C. 103(a) as being unpatentable over Rostoker et al (U.S. Patent Number 5,793,416) in view of Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) as applied to **claim 1** above, and further in view of Danial. (U.S. Patent Number 5,940,806).

Regarding *claim 14*, as the above combination of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) are made, the combination according to *claim 13*, fails to clearly disclose where plurality of terminals are coupled via the Internet, so as to route said communication data among said cellular phone devices and said terminals.

Danial details in paragraph column 3 lines 43-64, where a plurality of supplier and information clients, which reads on claimed "plurality of terminals", are coupled to via a communication link (14) to the Internet network.

Therefore, at the time of the invention it would have been obvious to a person of ordinary skilled in the art to modify the combined teachings of Rostoker et al (U.S. Patent Number 5,793,416) and Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) to further include Danial. (U.S. Patent Number 5,940,806) in order to

Art Unit: 2686

allow information residing on the internet to be transferred to a said cellular device so that the user of the said device may have access to the information on the internet.

Regarding *claim 15*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and Danial (U.S. Patent Number 5,940,806) are made, the combination according to *claim 14*, wherein Geiger et al. discloses a codec engine that is part of a functional unit (216) (see paragraph [0144]) of the system memory (218) coupled to said controller, see paragraph [0079], said codec engine configured to store an executable codec file received by a device, which reads on claimed "communication device" and identified by a said controller (211). See paragraph [0072, 0089]. said phone devices further comprise a codec engine configured to execute a codec executable file received from said cellular network.

Regarding *claim 16*, as the combination of Rostoker et al (U.S. Patent Number 5,793,416), Geiger et al (U.S. Patent Publication Number 2003/0061457 A1) and Danial (U.S. Patent Number 5,940,806) are made, the combination according to *claim 14*, wherein Geiger et al. discloses a codec engine that is part of a functional unit (216) (see paragraph [0144]) of the system memory (218) coupled to said controller, see paragraph [0079], said codec engine configured to decode data received from said network in accordance with said received codec executable file. See paragraph [0162].

Claims 4 and 18-19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Regarding *claim 4*, the cellular phone communication device according to *claim 2*, wherein said communication data are coded in accordance with a circuit switched data arrangement.

Regarding *claim 18*, the method in accordance with *claim 17* further comprising the step of encapsulating said codec related information to a circuit switched communication data.

Regarding *claim 19*, the method in accordance with *claim 17*, further comprising the step of encapsulating said codec related information to a packet switched communication data.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randy Peaches whose telephone number is (703) 305-8993. The examiner can normally be reached on Monday - Friday.

Art Unit: 2686

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha D. Banks-Harold can be reached on (703) 305-4379. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Randy Peaches August 2, 2004

> CHARLES APPIAM PRIMARY EXAMINED